

Wilk – Knee Joint References 2016

1. Aglietti P, Buzzi R, Menchetti PM, Giron F. Arthroscopically assisted semitendinosus and gracilis tendon graft in reconstruction for acute anterior cruciate ligament injuries in athletes. *Am J Sports Med.* 1996;24:726-731.
2. Aglietti P, Buzzi R, Zaccherotti G, De Biase P. Patellar tendon versus doubled semitendinosus and gracilis tendons for anterior cruciate ligament reconstruction. *Am J Sports Med.* 1994;22:211-217; discussion 217-218.
3. Ahmad CS, Kwak SD, Ateshian GA, Warden WH, Steadman JR, Mow VC. Effects of patellar tendon adhesion to the anterior tibia on knee mechanics. *Am J Sports Med.* 1998;26:715-724.
4. Andrews M, Noyes FR, Barber-Westin SD. Anterior cruciate ligament allograft reconstruction in the skeletally immature athlete. *Am J Sports Med.* 1994;22:48-54.
5. Ardern CL, Webster KE, Taylor NF, Feller JA. Return to the preinjury level of competitive sport after anterior cruciate ligament reconstruction surgery: two-thirds of patients have not returned by 12 months after surgery. *Am J Sports Med.* 2011;39:538-543. <http://dx.doi.org/10.1177/0363546510384798>
6. Ardern CL, Webster KE, Taylor NF, Feller JA. Return to sport following anterior cruciate ligament reconstruction surgery: a systematic review and meta-analysis of the state of play. *Br J Sports Med.* 2011;45:596-606. <http://dx.doi.org/10.1136/bjism.2010.076364>
7. Atkinson TS, Atkinson PJ, Mendenhall HV, Haut RC. Patellar tendon and infrapatellar fat pad healing after harvest of an ACL graft. *J Surg Res.* 1998;79:25-30. <http://dx.doi.org/10.1006/jsre.1998.5387>
8. Austin JC, Phornphutkul C, Wojtys EM. Loss of knee extension after anterior cruciate ligament reconstruction: effects of knee position and graft tensioning. *J Bone Joint Surg Am.* 2007;89:1565-1574. <http://dx.doi.org/10.2106/JBJS.F.00370>
9. Barber FA, Click SD. Meniscus repair rehabilitation with concurrent anterior cruciate reconstruction. *Arthroscopy.* 1997;13:433-437.
10. Barrack RL, Skinner HB, Buckley SL. Proprioception in the anterior cruciate deficient knee. *Am J Sports Med.* 1989;17:1-6.
11. Barrett DS. Proprioception and function after anterior cruciate reconstruction. *J Bone Joint Surg Br.* 1991;73:833-837.
12. Beard DJ, Dodd CA, Trundle HR, Simpson AH. Proprioception enhancement for anterior cruciate ligament deficiency. A prospective randomised trial of two physiotherapy regimes. *J Bone Joint Surg Br.* 1994;76:654-659.
13. Beard DJ, Kyberd PJ, Dodd CA, Simpson AH, O'Connor JJ. Proprioception in the knee. *J Bone Joint Surg Br.* 1994;76:992-993.

14. Beard DJ, Kyberd PJ, Fergusson CM, Dodd CA. Proprioception after rupture of the anterior cruciate ligament. An objective indication of the need for surgery? *J Bone Joint Surg Br.* 1993;75:311-315.
15. Beck PR, Nho SJ, Balin J, et al. Postoperative pain management after anterior cruciate ligament reconstruction. *J Knee Surg.* 2004;17:18-23.
16. Behrens F, Kraft EL, Oegema TR, Jr. Biochemical changes in articular cartilage after joint immobilization by casting or external fixation. *J Orthop Res.* 1989;7:335-343. <http://dx.doi.org/10.1002/jor.1100070305>
17. Benum P. Operative mobilization of stiff knees after surgical treatment of knee injuries and posttraumatic conditions. *Acta Orthop Scand.* 1982;53:625-631.
18. Beynnon BD, Fleming BC. Anterior cruciate ligament strain in-vivo: a review of previous work. *J Biomech.* 1998;31:519-525.
19. Beynnon BD, Good L, Risberg MA. The effect of bracing on proprioception of knees with anterior cruciate ligament injury. *J Orthop Sports Phys Ther.* 2002;32:11-15.
20. Birmingham TB, Kramer JF, Kirkley A, Inglis JT, Spaulding SJ, Vandervoort AA. Knee bracing after ACL reconstruction: effects on postural control and proprioception. *Med Sci Sports Exerc.* 2001;33:1253-1258.
21. Blazeovich AJ, Cannavan D, Horne S, Coleman DR, Aagaard P. Changes in muscle force-length properties affect the early rise of force in vivo. *Muscle Nerve.* 2009;39:512-520. <http://dx.doi.org/10.1002/mus.21259>
22. Brophy RH, Gill CS, Lyman S, Barnes RP, Rodeo SA, Warren RF. Effect of anterior cruciate ligament reconstruction and meniscectomy on length of career in National Football League athletes: a case control study. *Am J Sports Med.* 2009;37:2102-2107. <http://dx.doi.org/10.1177/0363546509349035>
23. Buckwalter JA. Articular cartilage: injuries and potential for healing. *J Orthop Sports Phys Ther.* 1998;28:192-202.
24. Buckwalter JA, Mankin HJ. Articular cartilage: tissue design and chondrocyte-matrix interactions. *Instr Course Lect.* 1998;47:477-486.
25. Busfield BT, Kharraz FD, Starke C, Lonbardo SJ, Seegmiller J. Performance outcomes of anterior cruciate ligament reconstructions in the National Basketball Association. *Arthroscopy.* 2009; 25(8): 825-830.
26. Cannon WD, Jr., Vittori JM. The incidence of healing in arthroscopic meniscal repairs in anterior cruciate ligament-reconstructed knees versus stable knees. *Am J Sports Med.* 1992;20:176-181.

27. Carey JL, Huffman GR, Parekh SG, Sennett BJ. Outcomes of anterior cruciate ligament injuries to running backs and wide receivers in the National Football League. *Am J Sports Med.* 2006;34:1911-1917. <http://dx.doi.org/10.1177/0363546506290186>
28. Cerabona F, Sherman MF, Bonamo JR, Sklar J. Patterns of meniscal injury with acute anterior cruciate ligament tears. *Am J Sports Med.* 1988;16:603-609.
29. Chandy TA, Grana WA. Secondary school athletic injury in boys and girls: a three-year comparison. *Phys Sportsmed.* 1985;13:106-111.
30. Chmielewski TL, Jones D, DayLentz TA, George SZ. The association of pain and fear of movement/reinjury with function during anterior cruciate ligament reconstruction rehabilitation. *J Orthop Sports Phys Ther.* 2008;38:746-753. <http://dx.doi.org/10.2519/jospt.2008.2887>
31. Chmielewski TL, Wilk KE, Snyder-Mackler L. Changes in weight-bearing following injury or surgical reconstruction of the ACL: relationship to quadriceps strength and function. *Gait Posture.* 2002;16:87-95.
32. Chow RT, Johnson MI, Lopes-Martins RA, Bjordal JM. Efficacy of low-level laser therapy in the management of neck pain: a systematic review and meta-analysis of randomised placebo or active-treatment controlled trials. *Lancet.* 2009;374:1897-1908. [http://dx.doi.org/10.1016/S0140-6736\(09\)61522-1](http://dx.doi.org/10.1016/S0140-6736(09)61522-1)
33. Cina-Tschumi B. [Evidence-based impact of cryotherapy on postoperative pain, swelling, drainage and tolerance after orthopedic surgery]. *Pflege.* 2007;20:258-267.
34. Clancy WG, Jr., Nelson DA, Reider B, Narechania RG. Anterior cruciate ligament reconstruction using one-third of the patellar ligament, augmented by extra-articular tendon transfers. *J Bone Joint Surg Am.* 1982;64:352-359.
35. Cosgarea AJ, Sebastianelli WJ, DeHaven KE. Prevention of arthrofibrosis after anterior cruciate ligament reconstruction using the central third patellar tendon autograft. *Am J Sports Med.* 1995;23:87-92.
36. Coutts R, Rothe C, Kaita J. The role of continuous passive motion in the rehabilitation of the total knee patient. *Clin Orthop.* 1981;159:126-132.
37. DeAndrade JR, Grant C, Dixon AS. Joint distension and reflex muscle inhibition in the knee. *J Bone Joint Surg Am.* 1965;47:313-322.
38. De Carlo MS, McDivitt R. Rehabilitation of patients following autogenic bone-patellar tendon-bone ACL reconstruction: a 20-year perspective. *N Am J Sports Phys Ther.* 2006;1:108-123.
39. DeSantana JM, Walsh DM, Vance C, Rakel BA, Sluka KA. Effectiveness of transcutaneous electrical nerve stimulation for treatment of hyperalgesia and pain. *Curr Rheumatol Rep.* 2008;10:492-499.

40. Draper V, Ballard L. Electrical stimulation versus electromyographic biofeedback in the recovery of quadriceps femoris muscle function following anterior cruciate ligament surgery. *Phys Ther.* 1991;71:455-461; discussion 461-464.
41. Dye SF, Chew MH. Restoration of osseous homeostasis after anterior cruciate ligament reconstruction. *Am J Sports Med.* 1993;21:748-750.
42. Eitzen I, Moksnes H, Snyder-Mackler L, Risberg MA. A progressive 5-week exercise therapy program leads to significant improvement in knee function early after anterior cruciate ligament injury. *J Ortho Sports Phys Ther.* 2010;11:705-721.
43. Escamilla RF, Fleisig GS, Zheng N, Barrentine SW, Wilk KE, Andrews JR. Biomechanics of the knee during closed kinetic chain and open kinetic chain exercises. *Med Sci Sports Exerc.* 1998;30:556-569.
44. Escamilla RF, Fleisig GS, Zheng N, et al. Effects of technique variations on knee biomechanics during the squat and leg press. *Exerc.* 2001;33:1552-1566.
45. Escamilla RF, Zheng N, Imamura R, et al. Cruciate ligament force during the wall squat and the one-leg squat. *Med Sci Sports Exerc.* 2009;41:408-417. <http://dx.doi.org/10.1249/MSS.0b013e3181882c6d>
46. Escamilla RF, Zheng N, Macleod TD, et al. Cruciate ligament forces between short-step and long-step forward lunge. *Med Sci Sports Exerc.* 2010;42:1932-1942. <http://dx.doi.org/10.1249/MSS.0b013e3181d966d4>
47. Escamilla RF, Zheng N, MacLeod TD, et al. Cruciate ligament tensile forces during the forward and side lunge. *Clin Biomech (Bristol, Avon).* 2010;25:213-221. <http://dx.doi.org/10.1016/j.clinbiomech.2009.11.003>
48. Fahrer H, Rentsch HU, Gerber NJ, Beyeler C, Hess CW, Grunig B. Knee effusion and reflex inhibition of the quadriceps. A bar to effective re-training. *J Bone Joint Surg Br.* 1988;70:635-638.
49. Farrokhi S, Pollard CD, Souza RB, Chen YJ, Reischl S, Powers CM. Trunk position influences the kinematics, kinetics, and muscle activity of the lead lower extremity during the forward lunge exercise. *J Orthop Sports Phys Ther.* 2008;38:403-409. <http://dx.doi.org/10.2519/jospt.2008.2634>
50. Ferretti A, Papandrea P, Conteduca F, Mariani PP. Knee ligament injuries in volleyball players. *Am J Sports Med.* 1992;20:203-207.
51. Fitzgerald GK, Axe MJ, Snyder-Mackler L. The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physical active individuals. *Phys Ther.* 2000;80:128-140.
52. Fleming BC. Biomechanics of the anterior cruciate ligament. *J Orthop Sports Phys Ther.* 2003;3(8):A13-15.

53. Fowler PJ. Bone injuries associated with anterior cruciate ligament disruption. *Arthroscopy*. 1994;10:453-460.
54. Fu FH, Jackson DW, Jamison J. Allograft reconstruction of the anterior cruciate ligament. In: Jackson DW, Arnoczky SP, eds. *The Anterior Cruciate Ligament: Current and Future Concepts*. New York, NY: Raven Press; 1993.
55. Fu FH, Woo SL-Y, Irrgang JJ. Current concepts for rehabilitation following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther*. 1992;15:270-278.
56. Fulkerson JP, Langeland R. An alternative cruciate reconstruction graft: the central quadriceps tendon. *Arthroscopy*. 1995;11:252-254.
57. Gobbi A, Francisco R. Factors affecting return to sports after anterior cruciate ligament reconstruction with patellar tendon and hamstring graft: a prospective clinical investigation. *Knee Surg Sports Traumatol Arthrosc*. 2006;14:1021-1028. <http://dx.doi.org/10.1007/s00167-006-0050-9>
58. Graf BK, Cook DA, De Smet AA, Keene JS. "Bone bruises" on magnetic resonance imaging evaluation of anterior cruciate ligament injuries. *Am J Sports Med*. 1993;21:220-223.
59. Guerra JJ, Joyce ME, Wilk KE, Clancy WG, Andrews JR. Increased prevalence and severity of intra-articular damage when ACL reconstruction is delayed. AAOS: Sports Medicine Speciality Day (62nd Annual Meeting). Atlanta, GA, Feb. 1996 (Presentation).
60. Gustavsson A, Neeter C, Thomee P, et al. A test battery for evaluating hop performance in patients with an ACL injury and patients who have undergone ACL reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2006;14:778-788. <http://dx.doi.org/10.1007/s00167-006-0045-6>
61. Haapala J, Arokoski J, Pirttimaki J, et al. Incomplete restoration of immobilization induced softening of young beagle knee articular cartilage after 50-week remobilization. *Int J Sports Med*. 2000;21:76-81. <http://dx.doi.org/10.1055/s-2000-8860>
62. Haldeman S, Carroll L, Cassidy JD, Schubert J, Nygren A. The Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders: executive summary. *Spine (Phila Pa 1976)*. 2008;33:S5-7. <http://dx.doi.org/10.1097/BRS.0b013e3181643f40>
63. Hamner DL, Brown CH, Jr., Steiner ME, Hecker AT, Hayes WC. Hamstring tendon grafts for reconstruction of the anterior cruciate ligament: biomechanical evaluation of the use of multiple strands and tensioning techniques. *J Bone Joint Surg Am*. 1999;81:549-557.
64. Harner CD, Irrgang JJ, Paul J, Dearwater S, Fu FH. Loss of motion after anterior cruciate ligament reconstruction. *Am J Sports Med*. 1992;20:499-506.
65. Harris NL, Smith DA, Lamoreaux L, Purnell M. Central quadriceps tendon for anterior cruciate ligament reconstruction. Part I: morphometric and biomechanical evaluation. *Am J Sports Med*. 1997;25:23-28.

66. Hart JM, Pietrosimone B, Hertel J, Ingersoll CD. Quadriceps activation following knee injuries: a systematic review. *J Athl Train.* 2010;45:87-97. <http://dx.doi.org/10.4085/1062-6050-45.1.87>
67. Heijne A, Fleming BC, Renstrom PA, Peura GD, Beynon BD, Werner S. Strain on the anterior cruciate ligament during closed kinetic chain exercises. *Med Sci Sports Exerc.* 2004;36:935-941.
68. Hewett TE. Predisposition to ACL injuries in female athletes versus male athletes. *Orthopedics.* 2008;31:26-28.
69. Hewett TE, Ford KR, Myer GD. Anterior cruciate ligament injuries in female athletes: part 2, a meta-analysis of neuromuscular interventions aimed at injury prevention. *Am J Sports Med.* 2006;34:490-498. <http://dx.doi.org/10.1177/0363546505282619>
70. Hewett TE, Lindenfeld TN, Riccobene JV, Noyes FR. The effect of neuromuscular training on the incidence of knee injury in female athletes. A prospective study. *Am J Sports Med.* 1999;27:699-706.
71. Hewett TE, Myer GD, Ford KR. Anterior cruciate ligament injuries in female athletes: part 1, mechanisms and risk factors. *Am J Sports Med.* 2006;34:299-311. <http://dx.doi.org/10.1177/0363546505284183>
72. Hewett TE, Myer GD, Ford KR, et al. Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: a prospective study. *Am J Sports Med.* 2005;33:492-501. <http://dx.doi.org/10.1177/0363546504269591>
73. Hewett TE, Stroupe AL, Nance TA, Noyes FR. Plyometric training in female athletes. Decreased impact forces and increased hamstring torques. *Am J Sports Med.* 1996;24:765-773.
74. Hewett TE, Zazulak BT, Myer GD, Ford KR. A re-view of electromyographic activation levels, timing differences, and increased anterior cruciate ligament injury incidence in female athletes. *Br J Sports Med.* 2005;39:347-350. <http://dx.doi.org/10.1136/bjsm.2005.018572>
75. Higgins LD, Taylor MK, Park D, et al. Reliability and validity of the International Knee Documentation Committee (IKDC) Subjective Knee Form. *Joint Bone Spine.* 2007;74:594-599. <http://dx.doi.org/10.1016/j.jbspin.2007.01.036>
76. Hirshman HP, Daniel DM, Miyasaka K. The fate of unoperated knee ligament injuries. In: Daniel DM, Akeson WH, O'Connor JJ, eds. *Knee Ligaments: Structure, Function, Injury and Repair.* New York, NY: Raven Press; 1990:481-503.
77. Hofmeister EP, Gillingham BL, Bathgate MB, Mills WJ. Results of anterior cruciate ligament reconstruction in the adolescent female. *J Pediatr Orthop.* 2001;21:302-306.
78. Holcomb W, Rubley MD, Girouard TJ. Effect of the simultaneous application of NMES and HVPC on knee extension torque. *J Sport Rehabil.* 2007;16:307-318.
79. Hopkins JT, Ingersoll CD, Krause BA, Edwards JE, Cordova ML. Effect of knee joint effusion on quadriceps and soleus motoneuron pool excitability. *Med Sci Sports Exerc.* 2001;33:123-126.

80. Horstman JK, Ahmadu-Suka F, Norrdin RW. Anterior cruciate ligament fascia lata allograft reconstruction: progressive histologic changes toward maturity. *Arthroscopy*. 1993;9:509-518.
81. Howe JG, Johnson RJ, Kaplan MJ, Fleming B, Jarvinen M. Anterior cruciate ligament reconstruction using quadriceps patellar tendon graft. Part I. Long-term followup. *Am J Sports Med*. 1991;19:447-457.
82. Huegel M, Indelicato PA. Trends in rehabilitation following anterior cruciate ligament reconstruction. *Clin Sports Med*. 1988;7:801-811.
83. Hunter RE, Mastrangelo J, Freeman JR, Purnell ML, Jones RH. The impact of surgical timing on postoperative motion and stability following anterior cruciate ligament reconstruction. *Arthroscopy*. 1996. Dec; 12(6): 667-74.
84. Ireland ML. The female ACL: why is it more prone to injury? *Orthop Clin North Am*. 2002;33:637-651.
85. Irrgang JJ, Harner CD. Loss of motion following knee ligament reconstruction. *Sports Med*. 1995;19:150-159.
86. Jackson DW, Corsetti J, Simon TM. Biologic incorporation of allograft anterior cruciate ligament replacements. *Clin Orthop Relat Res*. 1996;324:126-133.
87. Jackson DW, Grood ES, Goldstein JD, et al. A comparison of patellar tendon autograft and allograft used for anterior cruciate ligament reconstruction in the goat model. *Am J Sports Med*. 1993;21:176-185.
88. Jensen K, Graf BK. The effects of knee effusion on quadriceps strength and knee intraarticular pressure. *Arthroscopy*. 1993;9:52-56.
89. Johnson DL, Urban WP, Jr., Caborn DN, Vanarthos WJ, Carlson CS. Articular cartilage changes seen with magnetic resonance imaging-detected bone bruises associated with acute anterior cruciate ligament rupture. *Am J Sports Med*. 1998;26:409-414.
90. Johnson RJ, Eriksson E, Haggmark T, Pope MH. Five- to ten-year follow-up evaluation after reconstruction of the anterior cruciate ligament. *Clin Orthop Relat Res*. 1984;183:122-140.
91. Joseph M, Tiberio D, Baird JL, et al. Knee valgus during drop jumps in National Collegiate Athletic Association Division I female athletes: the effect of a medial post. *Am J Sports Med*. 2008;36:285-289. <http://dx.doi.org/10.1177/0363546507308362>
92. Kim KM, Croy T, Hertel J, Saliba S. Effects of neuromuscular electrical stimulation after anterior cruciate ligament reconstruction on quadriceps strength, function, and patient-oriented outcomes: a systematic review. *J Orthop Sports Phys Ther*. 2010;40:383-391. <http://dx.doi.org/10.2519/jospt.2010.3184>

93. Kim SJ, Kumar P, Oh KS. Anterior cruciate ligament reconstruction: autogenous quadriceps tendon-bone compared with bone-patellar tendon-bone grafts at 2-year follow-up. *Arthroscopy*. 2009;25:137-144. <http://dx.doi.org/10.1016/j.arthro.2008.09.014>
94. Knight KL, Martin JA, Londeree BR. EMG comparison of quadriceps femoris activity during knee extension and straight leg raises. *Am J Phys Med*. 1979;58:57-67.
95. Krych AJ, Pitts RT, Dajani KA, Stuart MJ, Levy BA, Dahm DL. Surgical repair of meniscal tears with concomitant anterior cruciate ligament reconstruction in patients 18 years and younger. *Am J Sports Med*. 2010;38:976-982. <http://dx.doi.org/10.1177/0363546509354055>
96. Kuster MS, Grob K, Kuster M, Wood GA, Gachter A. The benefits of wearing a compression sleeve after ACL reconstruction. *Med Sci Sports Exerc*. 1999;31:368-371.
97. Lattanzio PJ, Petrella RJ. Knee proprioception: a review of mechanisms, measurements, and implications of muscular fatigue. *Orthopedics*. 1998;21:463-470; discussion 470-471; passim.
98. Lattanzio PJ, Petrella RJ, Sproule JR, Fowler PJ. Effects of fatigue on knee proprioception. *Clin J Sport Med*. 1997;7:22-27.
99. Lephart SM, Kocher MS, Fu FH, Borsa PA, Harner CD. Proprioception following anterior cruciate ligament reconstruction. *J Sport Rehabil*. 1992;1:188-196.
100. Lephart SM, Pincivero DM, Giraldo JL, Fu FH. The role of proprioception in the management and rehabilitation of athletic injuries. *Am J Sports Med*. 1997;25:130-137.
101. Li S, Su W, Zhao J, et al. A meta-analysis of hamstring autografts versus bone-patellar tendon-bone autografts for reconstruction of the anterior cruciate ligament. *Knee*. 2011;18:287-293. <http://dx.doi.org/10.1016/j.knee.2010.08.002>
102. Liden M, Sernert N, Rostgard-Christensen L, Kartus C, Ejerhed L. Osteoarthritic changes after anterior cruciate ligament reconstruction using bone-patellar tendon-bone or hamstring tendon autografts: a retrospective, 7-year radiographic and clinical follow-up study. *Arthroscopy*. 2008;24:899-908. <http://dx.doi.org/10.1016/j.arthro.2008.04.066>
103. Lindenfeld TN, Schmitt DJ, Hendy MP, Mangine RE, Noyes FR. Incidence of injury in indoor soccer. *Am J Sports Med*. 1994;22:364-371.
104. MacDonald PB, Hedden D, Pacin O, Huebert D. Effects of an accelerated rehabilitation program after anterior cruciate ligament reconstruction with combined semitendinosus-gracilis auto-graft and a ligament augmentation device. *Am J Sports Med*. 1995;23:588-592.
105. Malone TR, Hardaker WT, Garrett WE, Feagin JA, Bassett FH. Relationship of gender to anterior cruciate ligament injuries in intercollegiate basketball players. *J South Orthop Assoc*. 1993;2:36-39.
106. Mangine RE, Noyes FR. Rehabilitation of the allograft reconstruction. *J Orthop Sports Phys Ther*. 1992;15:294-302.

107. Marder RA, Raskind JR, Carroll M. Prospective evaluation of arthroscopically assisted anterior cruciate ligament reconstruction. Patellar tendon versus semitendinosus and gracilis tendons. *Am J Sports Med.* 1991;19:478-484.
108. Mariani PP, Santori N, Adriani E, Mastantuono M. Accelerated rehabilitation after arthroscopic meniscal repair: a clinical and magnetic resonance imaging evaluation. *Arthroscopy.* 1996;12:680-686.
109. Markolf KL, Graff-Radford A, Amstutz HC. In vivo knee stability. A quantitative assessment using an instrumented clinical testing apparatus. *J Bone Joint Surg Am.* 1978;60:664-674.
110. Matava MJ, Siegel MG. Arthroscopic reconstruction of the ACL with semitendinosus-gracilis autograft in skeletally immature adolescent patients. *Am J Knee Surg.* 1997;10:60-69.
111. Mattacola CG, Perrin DH, Gansneder BM, Gieck JH, Saliba EN, McCue FC, 3rd. Strength, functional outcome, and postural stability after anterior cruciate ligament reconstruction. *J Athl Train.* 2002;37:262-268.
112. McCarthy MR, Yates CK, Anderson MA, Yates-McCarthy JL. The effects of immediate continuous passive motion on pain during the inflammatory phase of soft tissue healing following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther.* 1993;17:96-101.
113. McClure PW, Blackburn LG, Dusold C. The use of splints in the treatment of joint stiffness: biologic rationale and an algorithm for making clinical decisions. *Phys Ther.* 1994;74:1101-1107.
114. Mehta VM, Paxton LW, Fornalski SX, Csin-talan RP, Fithian DC. Reliability of the International Knee Documentation Committee radiographic grading system. *Am J Sports Med.* 2007;35:933-935. <http://dx.doi.org/10.1177/0363546507299742>
115. Meighan AA, Keating JF, Will E. Outcome after reconstruction of the anterior cruciate ligament in athletic patients. A comparison of early versus delayed surgery. *J Bone Joint Surg Br.* 2003;85:521-524.
116. Meister K, Huegel M, Indelicato PA. Current concepts in the recognition and treatment of knee injuries. APTA SPTS. La Crosse, WI: 2000.
117. Micheli LJ, Metzl JD, Di Canzio J, Zurakowski D. Anterior cruciate ligament reconstructive surgery in adolescent soccer and basketball players. *Clin J Sport Med.* 1999;9:138-141.
118. Millett PJ, Wickiewicz TL, Warren RF. Motion loss after ligament injuries to the knee. Part I: causes. *Am J Sports Med.* 2001;29:664-675.
119. Millett PJ, Wickiewicz TL, Warren RF. Motion loss after ligament injuries to the knee. Part II: prevention and treatment. *Am J Sports Med.* 2001;29:822-828.
120. Murphy BJ, Smith RL, Uribe JW, Janecki CJ, Hechtman KS, Mangasarian RA. Bone signal abnormalities in the posterolateral tibia and lateral femoral condyle in complete tears of the anterior cruciate ligament: a specific sign? *Radiology.* 1992;182:221-224.

121. Mussa R, Hans MG, Enlow D, Goldberg J. Con- dylar cartilage response to continuous passive motion in adult guinea pigs: a pilot study. *Am J Orthod Dentofacial Orthop.* 1999;115:360-367.
122. Myer GD, Chu DA, Brent JL, Hewett TE. Trunk and hip control neuromuscular training for the prevention of knee joint injury. *Clin Sports Med.* 2008;27:425-448, ix. <http://dx.doi.org/10.1016/j.csm.2008.02.006>
123. Naeser MA. Photobiomodulation of pain in carpal tunnel syndrome: review of seven laser therapy studies. *Photomed Laser Surg.* 2006;24:101-110. <http://dx.doi.org/10.1089/pho.2006.24.101>
124. Nebelung W, Wuschech H. Thirty-five years of follow-up of anterior cruciate ligament-deficient knees in high-level athletes. *Arthroscopy.* 2005;21:696-702. <http://dx.doi.org/10.1016/j.arthro.2005.03.010>
125. Noyes FR, Barber SD, Mangine RE. Abnormal lower limb symmetry determined by function hop tests after anterior cruciate ligament rupture. *Am J Sports Med.* 1991;19:513-518.
126. Noyes FR, Barber-Westin SD. Arthroscopic repair of meniscus tears extending into the avascular zone with or without anterior cruciate ligament reconstruction in patients 40 years of age and older. *Arthroscopy.* 2000;16:822-829. <http://dx.doi.org/10.1053/jars.2000.19434>
127. Noyes FR, Mangine RE, Barber S. Early knee motion after open and arthroscopic anterior cruciate ligament reconstruction. *Am J Sports Med.* 1987;15:149-160.
128. Oda H, Igarashi M, Sase H, Sase T, Yamamoto S. Bone bruise in magnetic resonance imaging strongly correlates with the production of joint effusion and with knee osteoarthritis. *J Orthop Sci.* 2008;13:7-15. <http://dx.doi.org/10.1007/s00776-007-1195-1>
129. O'Driscoll SW, Giori NJ. Continuous passive motion (CPM): theory and principles of clinical application. *J Rehabil Res Dev.* 2000;37:179-188.
130. Ohkoshi Y, Ohkoshi M, Nagasaki S, Ono A, Hashimoto T, Yamane S. The effect of cryotherapy on intraarticular temperature and postoperative care after anterior cruciate ligament reconstruction. *Am J Sports Med.* 1999;27:357-362.
131. Ohkoshi Y, Yasuda K, Kaneda K, Wada T, Yamanaka M. Biomechanical analysis of rehabilitation in the standing position. *Am J Sports Med.* 1991;19:605-611.
132. Paterno MV, Myer GD, Ford KR, Hewett TE. Neuromuscular training improves single-limb stability in young female athletes. *J Orthop Sports Phys Ther.* 2004;34:305-316. <http://dx.doi.org/10.2519/jospt.2004.1325>
133. Paulos L, Noyes FR, Grood E, Butler DL. Knee rehabilitation after anterior cruciate ligament reconstruction and repair. *Am J Sports Med.* 1981;9:140-149.
134. Paulos LE, Rosenberg TD, Drawbert J, Manning J, Abbott P. Infrapatellar contracture syndrome. An unrecognized cause of knee stiffness with patella entrapment and patella infera. *Am J Sports Med.* 1987;15:331-341.

135. Perry J, Antonelli D, Ford W. Analysis of knee- joint forces during flexed-knee stance. *J Bone Joint Surg Am.* 1975;57:961-967.
136. Pinczewski LA, Lyman J, Salmon LJ, Russell VJ, Roe J, Linklater J. A 10-year comparison of anterior cruciate ligament reconstructions with hamstring tendon and patellar tendon autograft: a controlled, prospective trial. *Am J Sports Med.* 2007;35:564-574. <http://dx.doi.org/10.1177/0363546506296042>
137. Powers CM. The influence of abnormal hip mechanics on knee injury: a biomechanical perspective. *J Orthop Sports Phys Ther.* 2010;40:42-51. <http://dx.doi.org/10.2519/jospt.2010.3337>
138. Prentice WE. *Therapeutic Modalities in Sports Medicine.* 3rd ed. St Louis, MO: Mosby; 1994.
139. Race A, Amis AA. The mechanical properties of the two bundles of the human posterior cruciate ligament. *J Biomech.* 1994;27:13-24.
140. Raynor MC, Pietrobon R, Guller U, Higgins LD. Cryotherapy after ACL reconstruction: a meta-analysis. *J Knee Surg.* 2005;18:123-129.
141. Reid A, Birmingham TB, Stratford PW, Alcock GK, Giffin JR. Hop testing provides a reliable and valid outcome measure during rehabilitation after anterior cruciate ligament reconstruction. *Phys Ther.* 2007;87:337-349. <http://dx.doi.org/10.2522/ptj.20060143>
142. Renstrom P, Ljungqvist A, Arendt E, et al. Non- contact ACL injuries in female athletes: an International Olympic Committee current concepts statement. *Br J Sports Med.* 2008;42:394-412. <http://dx.doi.org/10.1136/bjsm.2008.048934>
143. Risberg MA, Holm I, Steen H, Eriksson J, Ekeland A. The effect of knee bracing after anterior cruciate ligament reconstruction. A prospective, randomized study with two years' follow-up. *Am J Sports Med.* 1999;27:76-83.
144. Robertson GA, Coleman SG, Keating JF. Knee stiffness following anterior cruciate ligament reconstruction: the incidence and associated factors of knee stiffness following anterior cruciate ligament reconstruction. *Knee.* 2009;16:245-247. <http://dx.doi.org/10.1016/j.knee.2008.12.014>
145. Rodeo SA, Kawamura S, Kim HJ, Dynybil C, Ying L. Tendon healing in a bone tunnel differs at the tunnel entrance versus the tunnel exit: an effect of graft-tunnel motion? *Am J Sports Med.* 2006;34:1790-1800. <http://dx.doi.org/10.1177/0363546506290059>
146. Rodrigo JJ, Steadman JR, Silliman JF, Fulstone HA. Improvement of full-thickness chondral defect healing in the human knee after debridement and microfracture using continuous passive motion. *Am J Knee Surg.* 1994;7:109-116.
147. Rosen MA, Jackson DW, Berger PE. Occult osseous lesions documented by magnetic resonance imaging associated with anterior cruciate ligament ruptures. *Arthroscopy.* 1991;7:45-51.
148. Rubin LE, Yeh PC, Medvecky MJ. Extension loss secondary to femoral-sided inverted cyclops lesion after anterior cruciate ligament reconstruction. *J Knee Surg.* 2009;22:360-363.

149. Rubinstein RA, Shelbourne KD. Preventing complicating and minimizing morbidity after autogenous bone-patellar tendon-bone anterior cruciate ligament reconstruction. *Oper Tech Sports Med.* 1993;1:72-78.
150. Sachs RA, Reznik A, Daniel DM, Stone ML. Complication of knee ligament surgery. In: Daniel DM, Akeson WH, O'Connor JJ, eds. *Knee Ligaments: Structure, Function, Injury and Repair.* New York, NY: Raven Press; 1990:505-520.
151. Salter RB. The biologic concept of continuous passive motion of synovial joints. The first 18 years of basic research and its clinical application. *Clin Orthop Relat Res.* 1989;242:12-25.
152. Salter RB, Simmonds DF, Malcolm BW, Rumble EJ, MacMichael D, Clements ND. The biological effect of continuous passive motion on the healing of full-thickness defects in articular cartilage. An experimental investigation in the rabbit. *J Bone Joint Surg Am.* 1980;62:1232-1251.
153. Shah VM, Andrews JR, Fleisig GS, McMichael CS, Lemak LJ. Return to play after anterior cruciate ligament reconstruction in National Football League athletes. *Am J Sports Med.* 2010;38:2233-2239. <http://dx.doi.org/10.1177/0363546510372798>
154. Shelbourne KD, Gray T. Anterior cruciate ligament reconstruction with autogenous patellar tendon graft followed by accelerated rehabilitation. A two- to nine-year followup. *Am J Sports Med.* 1997;25:786-795.
155. Shelbourne KD, Gray T. Minimum 10-year results after anterior cruciate ligament reconstruction: how the loss of normal knee motion compounds other factors related to the development of osteoarthritis after surgery. *Am J Sports Med.* 2009;37:471-480. <http://dx.doi.org/10.1177/0363546508326709>
156. Shelbourne KD, Nitz P. Accelerated rehabilitation after anterior cruciate ligament reconstruction. *Am J Sports Med.* 1990;18:292-299.
157. Shelbourne KD, Patel DV. Management of combined injuries of the anterior cruciate and medial collateral ligaments. *Instr Course Lect.* 1996;45:275-280.
158. Shelbourne KD, Patel DV, Adsit WS, Porter DA. Rehabilitation after meniscal repair. *Clin Sports Med.* 1996;15:595-612.
159. Shelbourne KD, Patel DV, Martini DJ. Classification and management of arthrofibrosis of the knee after anterior cruciate ligament reconstruction. *Am J Sports Med.* 1996;24:857-862.
160. Shelbourne KD, Wilckens JH, Mollabashy A, DeCarlo M. Arthrofibrosis in acute anterior cruciate ligament reconstruction. The effect of timing of reconstruction and rehabilitation. *Am J Sports Med.* 1991;19:332-336.
161. Shimizu T, Videman T, Shimazaki K, Mooney V. Experimental study on the repair of full thickness articular cartilage defects: effects of varying periods of continuous passive motion, cage activity, and immobilization. *J Orthop Res.* 1987;5:187-197. <http://dx.doi.org/10.1002/jor.1100050205>

162. Shino K, Inoue M, Horibe S, Nagano J, Ono K. Maturation of allograft tendons transplanted into the knee. An arthroscopic and histological study. *J Bone Joint Surg Br.* 1988;70:556-560.
163. Shultz SJ. ACL injury in the female athlete: a multifactorial problem that remains poorly understood. *J Athl Train.* 2008;43:455. [http:// dx.doi.org/10.4085/1062-6050-43.5.455](http://dx.doi.org/10.4085/1062-6050-43.5.455)
164. Skinner HB, Wyatt MP, Hodgdon JA, Conard DW, Barrack RL. Effect of fatigue on joint position sense of the knee. *J Orthop Res.* 1986;4:112-118. <http://dx.doi.org/10.1002/jor.1100040115>
165. Speer KP, Spritzer CE, Bassett FH, 3rd, Feagin JA, Jr., Garrett WE, Jr. Osseous injury associated with acute tears of the anterior cruciate ligament. *Am J Sports Med.* 1992;20:382-389.
166. Spencer JD, Hayes KC, Alexander IJ. Knee joint effusion and quadriceps reflex inhibition in man. *Arch Phys Med Rehabil.* 1984;65:171-177.
167. Spindler KP. The Multicenter ACL Revision Study (MARS): a prospective longitudinal cohort to define outcomes and independent predictors of outcomes for revision anterior cruciate ligament reconstruction. *J Knee Surg.* 2007;20:303-307.
168. Spindler KP, Schils JP, Bergfeld JA, et al. Prospective study of osseous, articular, and meniscal lesions in recent anterior cruciate ligament tears by magnetic resonance imaging and arthroscopy. *Am J Sports Med.* 1993;21:551-557.
169. Staubli HU, Schatzmann L, Brunner P, Rincon L, Nolte LP. Quadriceps tendon and patellar ligament: cryosectional anatomy and structural properties in young adults. *Knee Surg Sports Traumatol Arthrosc.* 1996;4:100-110.
170. Suzuki T, Shino K, Nakagawa S, et al. Early integration of a bone plug in the femoral tunnel in rectangular tunnel ACL reconstruction with a bone-patellar tendon-bone graft: a prospective computed tomography analysis. *Knee Surg Sports Traumatol Arthrosc.* 2011;19 Suppl 1:29-35. <http://dx.doi.org/10.1007/s00167-011-1481-5>
171. Torry MR, Decker MJ, Viola RW, O'Connor DD, Steadman JR. Intra-articular knee joint effusion induces quadriceps avoidance gait patterns. *Clin Biomech (Bristol, Avon).* 2000;15:147-159.
172. Vanwanseele B, Lucchinetti E, Stussi E. The effects of immobilization on the characteristics of articular cartilage: current concepts and future directions. *Osteoarthritis Cartilage.* 2002;10:408-419. [http://dx.doi.org/10.1053/ joca.2002.0529](http://dx.doi.org/10.1053/joca.2002.0529)
173. Waldman SD, Spiteri CG, Grynblas MD, Pilliar RM, Hong J, Kandel RA. Effect of biomechanical conditioning on cartilaginous tissue formation in vitro. *J Bone Joint Surg Am.* 2003;85-A Suppl 2:101-105.
174. Warren TA, McCarty EC, Richardson AL, Michener T, Spindler KP. Intra-articular knee temperature changes: ice versus cryotherapy device. *Am J Sports Med.* 2004;32:441-445.

175. Webster KE, Feller JA, Lambros C. Development and preliminary validation of a scale to measure the psychological impact of returning to sport following anterior cruciate ligament reconstruction surgery. *Phys Ther Sport*. 2008;9:9-15. <http://dx.doi.org/10.1016/j.pts.2007.09.003>
176. Wells L, Dyke JA, Albaugh J, Ganley T. Adolescent anterior cruciate ligament reconstruction: a retrospective analysis of quadriceps strength recovery and return to full activity after surgery. *J Pediatr Orthop*. 2009;29:486-489. <http://dx.doi.org/10.1097/BPO.0b013e3181aa2197>
177. Wilk KE. Anterior cruciate ligament injury prevention and rehabilitation: let's get it right. *J Orthop Sports Phys Ther*. 2015; 45(10):729-730.
178. Wilk KE. Rehabilitation of isolated and combined posterior cruciate ligament injuries. *Clin Sports Med*. 1994;13:649-677.
179. Wilk KE, Andrews JR. Current concepts in the treatment of anterior cruciate ligament disruption. *J Orthop Sports Phys Ther*. 1992;15:279-293.
180. Wilk KE, Andrews JR, Clancy WG. Anterior cruciate ligament reconstruction rehabilitation—the results of aggressive rehabilitation: a 12-week follow-up in 212 cases. *Isokin Exerc Sci*. 1992;2:82-91.
181. Wilk KE, Andrews JR, Clancy WG. Quadriceps muscular strength after removal of the central third patellar tendon for contralateral anterior cruciate ligament reconstruction surgery: a case study. *J Orthop Sports Phys Ther*. 1993;18:692-697.
182. Wilk KE, Arrigo C, Andrews JR, Clancy WG. Rehabilitation after anterior cruciate ligament reconstruction in the female athlete. *J Athl Train*. 1999;34:177-193.
183. Wilk KE, Escamilla RF, Fleisig GS, Barrentine SW, Andrews JR, Boyd ML. A comparison of tibiofemoral joint forces and electromyographic activity during open and closed kinetic chain exercises. *Am J Sports Med*. 1996;24:518-527.
184. Wilk KE, Reinold MM, Hooks TR. Recent advances in the rehabilitation of isolated and combined anterior cruciate ligament injuries. *Orthop Clin North Am*. 2003;34:107-137.
- Kvist J, Ek A, Sporrstedt K, et al. Fear of re-injury: a hindrance for returning to sports after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc* 2005;13(5):393-97.
185. Lentz TA, Zeppieri G, Tillman SM, et al. Return to preinjury sports participation following anterior cruciate ligament reconstruction: contributions of demographic, knee impairment, and self-report measures. *J Orthop Sports Phys Ther* 2012;42(11):893-901.
186. Ardern CL, Taylor NF, Feller JA, et al. Psychological responses matter in returning to preinjury level of sport after anterior cruciate ligament reconstruction surgery. *Am J Sports Med* 2013;41(7):1549-58.
187. Ardern CL, Taylor NF, Feller JA, et al. Sports participation 2 years after anterior cruciate ligament reconstruction in athletes who had not returned to sport at 1 year: a prospective follow-up of physical function and psychological factors in 122 athletes. *Am J Sports Med* 2015;43(4):848-56.

188. Gignac MA, Cao X, Ramanathan S, et al. Perceived personal importance of exercise and fears of re-injury: a longitudinal study of psychological factors related to activity after anterior cruciate ligament reconstruction. *BMC Sports Sci Med Rehabil* 2015;7:4.
189. Ardern CL, Taylor NF, Feller JA, et al. Return-to-sport outcomes at 2 to 7 years after anterior cruciate ligament reconstruction surgery. *Am J Sports Med* 2012;40:41-48.
190. Ardern CL, Österberg A, Sonesson S, et al. Satisfaction with knee function following primary anterior cruciate ligament reconstruction is associated with self-efficacy, quality of life and returning to the pre-injury physical activity. *Arthroscopy* 2016;accepted 15 January.
191. Hewett TE, Di Stasi SL, Myer GD. Current concepts for injury prevention in athletes after anterior cruciate ligament reconstruction. *Am J Sports Med* 2013;41:216-24.
192. Escamilla RF, Macleod TD, Wilk KE, et al: Anterior cruciate ligament strain & tensile forces during weight bearing & non-weight bearing exercises. *J Orthop Sports Phys Ther* 42(3):208-220, 2012.
193. Wilk KE, Macrina LM, Dugas JD, Cain LC, Andrews JR: Recent advances in the rehabilitation following ACL reconstruction surgery. *J Orthop Sports Phys Ther* 42(3):153-157, 2012.
194. Yenchak AJ, Wilk KE, Arrigo CA, Simpson CD, Andrews JR: Criteria based management of an acute multiligament knee injury in a professional football player. A case study. *J Orthop Sports Phys Ther* 41(9) 675-686, 2011.
195. Escamilla RF, Zheng N, Macleod TD, Imamura R, Edwards WB, Hreljac A, Fleisig GS, Wilk KE, Moorman CT 3rd, Paulos L, Andrews JR: Cruciate Ligament Forces between short and long side lunges. *Med Sci Sports Ex* 42(10): 1932-1942, 2010
196. Wilk KE, Macrina LC, Reinold MM: Rehabilitation Following Microfracture Surgery. *Cartilage* 1 (2): 96-107, 2010.
197. Escamilla RF, Zheng N, Macleod TD, Imamura R, Edwards WB, Hreljac A, Wilk KE, et al: Cruciate Ligament Forces between a Short & Long Step Forward Lunge. *Med Sci Sports Ex* 2010.
198. Escamilla RF, Zheng N, MacLeoad TD, Immaura R, Edwards WB, Hreljac A, Wilk KE, et al: Cruciate Ligament Tensile Forces During Forward & Side Lunge. *Clin Biomech* 25(3): 213-221,2010.
199. Escamilla RF, Zheng N, Imamura R, Edwards WB, Hreeijac A, Fleisig GS, Wilk KE, Moorman CT: Cruciate ligamnet force during the wall squat & one legged squat. *Med Sci Sports Exerc* 41(2):408-417, 2009.
200. Escamilla RF, Zheng N, Imamura R, Edwards WB, Hreeijac A, Fleisig GS, Wilk KE, et al: Patellofemoral Joint Forces & Stress During the Wall Squat & One-Legged Squat. *Med Sci Sports Ex* 41(4); 879-888, 2009.
201. Wilk KE, Briem K, Reinold MM, Devine KM, Dugas JR, Andrews JR: Rehabilitation of articular cartilage lesions in the athlete's knee. *J Orthop Sports Phys Ther* 36(10): 815-827,2006.

202. Reinold MM, Wilk KE, Macrina LC, Dugas JC, Cain LC: Current concepts in the rehabilitation following articular cartilage repair procedures in the knee. *J Orthop Sports Phys Ther* 36(10): 774-794, 2006.
203. Wilk KE, Simoneau GG: Managing knee injuries: Keeping up with change. *J Orthop Sports Phys Ther* 42(3): 150-152, 2012.
204. Wilk KE, Hooks TR, Arrigo CA, Andrews JR: ACL Injury & Treatment: Pre-Operative Program. *Sports Arthroscopy Related Research*, 2016.
205. Wilk KE: We can do better. *J Orthop Sports Phys Ther*. 2014 Sep;44(9):634-5.

Wilk KE: 5/1/16